

Serial No. 09/636,448

Page 2

during said client session, performing at least one respective Internet activity by the user on behalf of the client;

for at least one of the at least one performed Internet activity, automatically generating a respective time value based at least in part on at least

10 one of a start time defined by when the user begins performance of the respective at least one Internet activity, and a completion time defined by when the user completes performance of the respective at least one Internet activity;

for each of the at least one performed Internet activity, automatically generating a respective activity record corresponding to the
15 respective Internet activity performed by the user;

storing a session record comprising activity data based at least in part on each generated time value, each generated activity record, and the at least one of a client identifier and a client matter identifier;

generating at least one of a bill and a report based at least in part
20 on said session record; and

forwarding, to the client, the at least one of a bill and a report;
wherein the at least one of a client identifier and a client matter identifier corresponds to the client, and the at least one Internet activity comprises a request for data from a publicly available Internet location.

25

29. (Originally Presented) The method of claim 28, wherein the user performs a plurality of Internet activities, and the plurality of Internet activities comprises a request for data from a publicly available Internet location, and at

Serial No. 09/636,448

Page 3

CD least one of data entry of a network address, data entry of a URL, data entry of at least one search term, data entry of at least one data instance, selection of a hyperlink, a data transfer, and an input device event.
